

# A Customized Camera Imaging Pipeline for Dermatological Imaging

ISIC Skin Image Analysis Workshop @ CVPR 2019

Hakki Can Karaimer<sup>1</sup>    Iman Khodadad<sup>2</sup>  
Farnoud Kazemzadeh<sup>2</sup>    Michael S. Brown<sup>1</sup>

<sup>1</sup>York University, Toronto


<sup>2</sup>Elucid Labs




# Talk's topic

## A customize camera for dermatological analysis

Schematic drawing of the device




Prototype




# Challenges

1. Machine vision camera vs. consumer camera
2. How to use the visible image with the narrow band spectral image?


**Output from  
machine vision camera's API**



**Consumer camera  
output**




**Enhanced RGB image  
using a spectral band**




# In-camera processing pipeline

- There are a number of steps onboard a camera that convert the light falling on the camera's sensor image (raw image) to the final R,G,B image output
- These steps are collectively called the “in-camera image processing pipeline”


# In-camera processing pipeline




## Intermediate images for each stage



# In-camera processing pipeline




## Intermediate images for each stage



# Machine Vision vs. Consumer Camera Pipelines

- Why does a machine vision camera's image appear different from consumer camera?


**Typical pipeline for machine vision cameras**




# Machine Vision vs. Consumer Camera Pipelines

- Why does a machine vision camera's image appear different from consumer camera?

**Typical pipeline for machine vision cameras**




**Typical pipeline for consumer cameras**






# Customized imaging pipeline

- Our customized camera




# LED flat-field correction

- A flat-field correction for each LED




# In-camera processing pipeline

- Sensor needs to be colorimetrically calibrated
- Color space transform (CST) to map raw-RGB values to the CIE XYZ color space



# In-camera processing pipeline

- Errors with and without sensor calibration




CC: Macbeth color checker chart

SC: Skin colors from *the Munsell Book of Color*


# Photo-finishing

- Photo-finishing to make the images look *visually-pleasing*




# Photo-finishing

- Photo-finishing to make the images look visually-pleasing
- We can mimic different consumer cameras



# Non-visible spectral images

- Our customized camera



# Non-visible spectral images


- Next: Enhancement using narrow band spectral images



Photo-finished sRGB output




..... Pipeline for visible images  
 - - - Pipeline for non-visible images





# Non-visible spectral images

- Narrow band spectral images



# Spectral data fusion

- Three methods:
  - Modified bilateral filtering [1]
  - Modified local Laplacian filter [2]
  - Wavelet-based fusion [3]







Photo-finished image



A narrow band spectral image



The result of the fusion

[1] Clement Fredembach, Nathalie Barbuscia, and Sabine Süstrunk. Combining Visible and Near-Infrared Images for Realistic Skin Smoothing. In *Color and Imaging Conference*, 2009.

[2] Mathieu Aubry, Sylvain Paris, Samuel W. Hasinoff, Jan Kautz, and Fredo Durand. Fast Local Laplacian Filters: Theory and Applications. In *SIGGRAPH*, 2014.

[3] Michel Misiti, Yves Misiti, Georges Oppenheim, and Jean-Michel Poggi. *Wavelets and Their Applications*. Newport Beach, CA: Wiley-ISTE.

# Examples of data fusion

Visible image

Band 1

Band 2

Band 3




Band 4

Band 5

Band 6

Band 7

Band 8



Modified bilateral filter method [1]

Modified local Laplacian filter method [2]

Wavelet-based image fusion [3]

# Feedback from clinicians

- Is there a preference between the methods and the different spectral bands?
  - Among the three methods used to perform spectral image fusion, do you have a preferred method?
  - Is there a particular spectral image that you feel provides the most information?
  - Do you feel this type of fusion is useful for you in a clinical setting (i.e., would it help you make a more informed decision)?

# Clinician feedback

- The most preferred:
  - Wavelet-based method
  - Spectral band 8 (NIR - 1100 nm)
- Comments from our participants include:
  - “Yes, I think that the fusion is very helpful”
  - “I could see the pattern of each lesion much better (reticular, dots, borders).”
- A dermatologist who was neutral commented:
  - “Only in certain cases.”

Still an area of active research.

# Conclusion

- **Presented a customize camera pipeline for dermatological imaging**
  - Modified machine-vision camera
  - Based on understanding of consumer camera pipelines
  - Useful for the design of similar devices
- **Spectral data fusion**
  - Older methods shouldn't be ruled out
  - Open problem, room for more research

**Thank you!**